

**Darwin: Ph** 08 8988 9867 **Mob** 0428 646 916

Mt Garnet: Lot 1 Battle Creek, Mt Garnet Qld 4872

Charters Towers: Lot 6 Flinders Hwy, Charters Towers Qld 4820

**Ph** 07 4787 7007 **Fax** 07 4787 7008

Roma: Lot 2 Kimbler Road, Roma Qld 4455 Ph 07 4620 4700 Fax 07 4620 4799

# LARGE WEANER LICK

A protein, mineral and vitamin supplement designed for weaner cattle grazing an abundance of low-quality pasture.

**Large Weaner Lick** is a self-regulating dry season lick specifically formulated for weaner cattle in the weight range of 150-250 kg LW. "For improved feed efficiency", Monensin Sodium has been added.

**Large Weaner Lick** can also be used as an alternate option to introduce adult cattle to lick at the beginning of the dry season.

## Nutritional analysis ('as fed' basis):

Nutritional analysis ('as fed' basis):	
Min. Crude Protein	13.0%
Min. Equivalent Crude Protein	49.0%
Min. Total Protein	62.0%
Urea Equivalent	17.2%
Min. Calcium (Ca)	4.0%
Min. Phosphorus (P)	3.0%
Min. Sulphur (S)	3.0%
Max. Salt (NaCl)	25.0%
Metabolisable Energy (calc)	4.0 MJ/kg
Monensin Sodium	300 mg/kg
Min. Copper (Cu)	75 mg/kg
Min. Cobalt (Co)	7.5 mg/kg
Min. Iodine (I)	7.5 mg/kg
Min. Zinc (Zn)	150 mg/kg
Min. Selenium (Se)	1.25 mg/kg
Min. Manganese (Mn)	150 mg/kg
Min. Vitamin A	30 000 IU/kg
Min. Vitamin D <sub>3</sub>	3000 IU/kg
Min. Vitamin E	300 mg/kg

## **Warnings:**

- This product contains urea and is not suitable to feed to non-ruminant animals
- This product contains Monensin Sodium and should not be allowed access to dogs, horses, or other equines. Monensin may be fatal to these species
- This product does not contain restricted animal material

#### Disclaimer:

Stocklick Trading has no control over the end use of this product and accepts no responsibility for any stock losses that may occur.

# Daily intakes:

Animal class	Grams per day
Weaner - 150 kg LW	120
Weaner - 250 kg LW	200
Pregnant & lactating stock	250 - 300

## Feeding guidelines:

- Do not feed to starving stock and ensure that stock have access to adequate roughage in the paddock and a plentiful supply of fresh water
- Ensure troughs are self-draining to prevent product spoilage and ammonia toxicity due to water pooling in the event of wet weather
- Ensure stock have access to a consistent supply of product for supplement to be effective, economical and safe. In the case the trough becomes empty, add a layer of salt, and monitor intakes
- Place troughs at a 200-300 m distance away from water points

### **Ingredients:**

- Vegetable protein meals, salt, urea, monodicalcium phosphate, pulverised limestone, ammonium sulphate, sulphur, molasses, monensin sodium, trace minerals and vitamins A, D<sub>3</sub> and E
- Ingredients and analysis may vary due to seasonal availability and conditions

#### **Storage:**

Store in a dry place under cover and out of direct sunlight.

For further advice or a custom mix, contact your local sales representative today!